

**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

# driftex

**Formulated vegetable oil adjuvant**

Active constituent: 790 g/l Refined Canola Oil

For addition to pesticide sprays.  
Reduces spray drift, improves rainfastness.

**CONTENTS: 1 LITRE**



HAZARD CLASSES 9.1D

HSR002503

SAFETY WARNING: Harmful to aquatic organisms

ENVIRONMENTAL WARNING: Avoid contaminating waterways

PRODUCT DISPOSAL: Do not allow product to enter waterways, drains or sewers. Absorb spillage on inert material such as soil and dispose of in suitable landfill.

CONTAINER DISPOSAL: Triple rinse container and return to recycler. Alternatively, ensure container is completely empty, burn if permitted and circumstances, especially wind direction allow, otherwise bury in landfill.

HANDLING PRECAUTIONS: When mixing or applying, wear protective clothing, goggles or face shield and respirator if risk of inhalation. Do not eat or drink while using. Wash hands and face before meals and after work. Wash protective clothing after work.

STORAGE: Keep out of reach of children. Store in original container tightly closed and in well ventilated area, away from foodstuffs. Under conditions below 0°C product may become cloudy or thicken, but will liquefy as temperature warms.

FIRST AID: If swallowed DO NOT induce vomiting. Rinse mouth with water and give water to drink. For advice, contact the **National Poisons Centre 0800 POISON (0800 764 766)** or a doctor immediately. If skin, hair, or eye contact occurs, remove contaminated clothing, and flush skin, hair and/or eyes with running water for several minutes. Additional information is contained in the **Material Safety Data Sheet** which is available from the reseller at point of purchase or visit [www.sstnewzealand.co.nz](http://www.sstnewzealand.co.nz) for alternate contact details.

### Directions for use

<u>Situation</u>	<u>Knapsack</u>	<u>Rate</u>
Drift reduction of pesticide spray	2.5 – 5mL/Ltr	250mL – 500mL
Improved rainfastness & pesticide deposition	10mL/Ltr	1Ltr

The rate of DRIFTEX is directly related to the water volume, not to the size of the treated area.

## GENERAL INSTRUCTIONS

DRIFTEX has been formulated with the optimum level of refined canola oil and surfactants to achieve enhanced rainfastness, deposition, penetration and improved efficacy with many pesticides when applied to the foliage or turf. When delivered through an hydraulic spray unit, DRIFTEX will provide a narrow droplet spectra around 200 micron for maximum efficacy with minimum losses due to drift.

## MIXING

Follow directions on pesticide label. Half fill the spray tank with water and add required amount of pesticide with agitation. Top up tank with water followed by addition of required amount of DRIFTEX and continue agitation while spraying.

**CONDITIONS OF SALE:** The use of DRIFTEX being beyond the control of the manufacturer, no warranty expressed or implied is given by SST New Zealand LTD regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and SST New Zealand LTD accepts no responsibility for any consequences whatsoever resulting from the use of this product.

Batch No.



Date of Manufacture

SST NZ LTD  
119 Carbine Road, Mt Wellington, Auckland, NEW  
ZEALAND  
PHONE +64 9 259 3760 Co. No. 1499396

IN AN EMERGENCY PHONE NUMBER IS  
NATIONAL POISONS CENTRE  
0800 POISON (0800 764 766)