

EnviroDye Blue

LIQUID MARKING DYE

Active Constituent: 90 g/l Sulphonated aromatic acid dye

**A COLOURANT FOR TURF
AND A MARKER FOR USE WITH
PESTICIDES AND MARKING FOAM**

5 LITRES

SST NEW ZEALAND LTD 119 Carbine Rd, Mt Wellington, Auckland, New Zealand
Phone: +64 9 259 3760



DIRECTIONS FOR USE

Situation	Application Rate	Critical comments
Broadacre Spray marking	100mL/100 Litres	Suitable for use with pesticide spray solutions to enable clear identification of sprayed areas.
Back packs	10mL/10 Litres	
Foam Markers	25 - 50 mL per 100 Litres	Higher rate for deep blue foam colour. Add direct to diluted foam marking solution.
TURF Boom application to parks, ovals and fairways.	600 - 1000 mL per Hectare	For uniform appearance to green surfaces.
For greens	6 - 10 ml per 100 sq. Mtr.	Use higher rate for a deep rich turf colour.
For back packs and hand applicators.	30 ml per 5 Litre	

NOT TO BE USED FOR ANY PURPOSE OTHER THAN INDICATED ON THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

A blue liquid marking dye to assist in clearer identification of sprayed areas. A simple and cost effective system in all spraying situations to reduce costly problems resulting from overapplication or missed areas untreated. When used as a colouring agent with white foam markers, foam will become blue in colour to allow clearer identification. Application of SST Envirodye to turf, greens and fairways imparts a deep rich colour to green surfaces and provides a uniform appearance.

MIXING INSTRUCTIONS

To achieve thorough mixing premix SST EnviroDye with water in ratio 1:10 before addition to spraytank or knapsack. Add premix solution to spraytank first and follow with water to half fill tank. Add other ingredients under agitation followed by water to top up tank. Wash out all spraying equipment thoroughly after use as product residue can cause discolouration of subsequent sprays.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used container.

STORAGE AND DISPOSAL

Keep out of reach of children.

Store in closed, original container in a well ventilated area, as cool as possible. Triple or, preferably pressure rinse containers before disposal.

Batch No.

Date of

Manufacture

Add rinsings to spray tank or knapsack mix.

Do not dispose of undiluted chemicals on-site.

Break, crush, puncture and bury empty containers in a local authority landfill. If not available bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Do not swallow. Avoid contact with skin or eyes. Wear rubber gloves, overalls and goggles or face shield.

Wash hands with soap and water after use.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (Ph 13 11 26). If in eyes, hold eyes open and flood with water for at least 15 minutes and see a doctor. Additional information is listed in the Material Safety Data Sheet.

CONDITIONS OF SALE

The use of SST Envirodye being beyond the control of the manufacturer, no warranty expressed or implied is given by SST Australia Pty Ltd regarding its suitability fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and SST Australia Pty Ltd accepts no responsibility for any consequences whatsoever resulting from the use of this product.

**IN AN EMERGENCY PH NUMBER
IS NATIONAL POISONS CENTRE
0800 POISON (0800 764 766)**

SST NEW ZEALAND LTD 119 Carbine Rd, Mt Wellington, Auckland, New Zealand
Phone: +64 9 259 3760